

110V wiring and fixtures), 12V battery, butane refrigerator, butane water heater,

automatic switch-over regulator for the butane tanks, marine type toilet with spray flushing device to conserve water, and the Airstream sanitator to provide toilet

conveniences away from a sewer hook-up. Even a sewer hose carrier is included.

The Airstream International Land Yacht series represents, then, the last word in

travel luxury. In addition to the basic Land Yacht equipment, it includes: a water

purifier; a 12V-110V ceiling ventilator fan and a 110V ceiling ventilator fan; a

12V-110V stove exhaust fan; a 12V outlet for shaver and other appliances; two over-sized butane tanks; a police-type radio antenna; a 12V exterior flood light next

to the entrance door; and such extra luxuries as stainless steel galley sinks, deluxe

plumbing hardware, galley hand spray, bedroom wall comfort cover, bedspreads,

nylon upholstery, Belgian linen curtains, vinyl floor tile and even deluxe hub caps.

STANDARD SPECIFICATIONS

Every Airstream is built to the same rigid construction standards and must satisfy the travel specifications of the world's most adventurous roamers — the Wally Byam caravanners. Chassis, running gear, body design and basic equipment are uniform throughout all Airstreams, regardless of model or series. All Airstreams are completely self-contained...they have the equipment necessary for extended stays away from standard light, water and sewer connections. The difference between the Land Yacht series and the International Land Yacht series is in the degree of self-containment, amount of accessory equipment included and quality of interior furnishings.

The Airstream Land Yacht series comes equipped with a pressure water system (including 12V air compressor), 12V electrical system (in addition to the regular

- · Patented Air-Flow contoured shape
- · Exclusive Aerostress® all steel undercarriage
- · Molded steel bumper, welded to undercarriage
- Exclusive Dura-Torque[®] rubber torsion bar axles
- · Shock absorbers on all wheels
- 12V Electric brakes on all wheels (can be co-ordinated with foot brake pedal in car)
- 700 x 15 truck-type nylon tubeless tires (8 ply on all single axles; 6 ply on tandem axles and 19' Globetrotter; 650 x 13 4 ply white sidewall on 16' Bambi)
- Hand-riveted double-shell body of heat-treated, structural alloy aluminum
- Ribs of stretch-formed structural alloy aluminum
- Contour aluminum window frames, riveted to body
- Full opening, awning type windows (jalousie windows used only next to main door)
- Corrosion-proof removable screens in all windows
- Insulated combination main and screen door
- Exclusive touch-control fold away steel step, welded to frame
- · Anodized aluminum grab handle
- Trunk compartment with lock and insulated door
- Awning rail
- · Adjustable, no-draft aluminum roof-vents
- *Large, adjustable no-draft plastic Astrodome vent
- Considered which success filter subjects the hit
- Seamless, dust-proof fiberglass wheel housing covers

- All-over (entire body, under floor and over wheel housings) 2¼ inch, aircraft-type fiberglass insulation
- Plastic grip on jack handle
- *Two weatherproof exterior 110V outlets
- Single plug car-trailer connector (includes 12V charge line)
- · Seven way connector plug for car
- Hitch ball
- Car brake controller
- *TV lead-in wire in shell
 - 12V and 110V service available at all standard roof vents
 - Built in 110V service line (25 feet)
- U.L. approved electric appliances
- MHMA code-approved wiring system
- Interior 110 volt convenience outlets
- All lights 12 volt as well as 110 volt
- 12 volt battery in heated, sealed case with automatic circuit breaker
- Automatic circuit breaker on 12V wiring system
- Circuit breaker protection on 110V wiring system
- 12 volt air compressor for pressure water system
- Air vent on pressure water tank
- Thirty gallon pressure water tank (except in 16' Bambi and 19' Globetrotter, 22' Twin Safari and 22' Flying Cloud, in which the capacity is twenty gallon)
- · Water level gauge on pressure water tank
- MHMA code-approved plumbing system
- Swing faucet in lavatory and at galley sinks


- Imported water-saver "telephone" shower with shut-off valve at shower head
- Toilet hand spray flushing device conserves water
- · Marine type flushing toilet
- 12V Fiberglass septic tank of approximately one week capacity
 - Drainage drop-out cover cap
 - Exclusive drainage drop-out elbow for connecting sewer hose
 - Built-in sewer hose carrier
 - Fiberglass bathtub
 - Double galley sinks in all models except 16' Bambi and 19' Globetrotter
 - *Combination sink cover and cutting board
 - MHMA code-approved butane gas system
- iring system

 All butane equipment U.L. or A.G.A. approved for use in travel trailers
 - Double five gallon butane bottles with rack
 - Automatic switch-over bottle regulator (except in 16' Bambi and 19' Globetrotter with manual regulator
 - Sealed unit, side vented butane heater (Input ratings: 16' Bambi 7,500 B.T.U.; 19' Globetrotter 10,000 B.T.U.; All other models 25,000 B.T.U.)
 - In all Airstreams, 22' and longer, under floor heater duct to rear with 12V-110V blower and thermostat
 - 5.5 cu. ft. butane refrigerator (except in 16' Bambi with 2 cu. ft. butane refrigerator and 19' Globetrotter with 3.5 cu. ft. butane refrigerator)
 - Four burner butane range (except in 16' Bambi with three burner butane range)
 - Butane oven and broiler (extra large oven in 30' Sovereign of the Road)

- *3-position formica-covered flip lid over range
- Nine gallon butane water heater
- Genuine hardwood veneer furniture and cabinets
- Lightweight, warp-free hollow core wardrobe doors
- Positive travel-locks on drawers and doors
- Double track drawer guides on all drawers
- Front end roof cabinet
- Medicine chest
- Spice rack
- Magazine rack
- Formica-covered drop leaf table (except in 16' Bambi and 19' Globetrotter with folding table and 22' Safari twin with pull-out table)
- *Foam rubber travel lounge in front, convertible to double bed, with four drawers under
- ∗6" foam rubber mattresses with zippered covers
- All upholstery Scotchguarded to resist soiling
- · All curtains vat dyed, fade resistant, pre-shrunk
- All curtains lined (except in 16' Bambi and 19' Globetrotter)
- Full length mirror
- Two folding doors (except in 16' Bambi, 19' Globetrotter, 22' Safari twin and 22' Flying Cloud with one folding door)
- Inlaid linoleum floor
- Contoured lounge chair in 30' Sovereign of the Road

*Not available in 16' Bambi

- All specifications subject to change without notice



AIRSTREAM FLOOR PLANS

THE 1963 AIRSTREAM FLEET

VINDOW VI

GALLEY

WARDROBE

HEATER REFRIGERATOR

22 FOOT FLYING CLOUD

CABINET

HEAT

BATH TUB AND SHOWER

THE 1963 AIRSTREAM

FLEET OFFERS YOU A

WIDER SELECTION THAN

ANY OTHER TRAVEL


TRAILER ... 13 EXCITING


MODELS, RARING AND


DARING TO GO. ONE

OF THEM IS MEANT

FOR YOU!









TRUNK DOOR

AIRFOAM MATTRESS

WINDOW

HEAT





28 FOOT AMBASSADOR TWIN

____i

SINGLE BED AIRFOAM MATTRESS

WINDOV

--Ó

BATH TUS AND SHOWER

TRUNK DOOR

. . .