

22 FT. SAFARI TWIN



22 FT. SAFARI DOUBLE








24 FT. TRADE WIND TWIN




24 FT. TRADE WIND DOUBLE




26 FT. OVERLANDER TWIN




26 FT. OVERLANDER DOUBLE




28 FT. AMBASSADOR TWIN




28 FT. AMBASSADOR DOUBLE




30 FT. SOVEREIGN TWIN



30 FT. SOVEREIGN DOUBLE





STANDARD SPECIFICATIONS

Every Airstream is built to the same rigid construction standards and must satisfy the travel specifications of the world's most adventurous roamers — the Wally Byam caravanners. Chassis, running gear, body design and basic equipment are uniform throughout all Airstreams, regardless of model or series. All Airstreams are completely self-contained...they have the equipment necessary for extended stays away from standard light, water and sewer connections. The difference between the Land Yacht series and the International Land Yacht series is in the degree of self-containment; amount of accessory equipment included and quality of interior furnishings.

The Airstream Land Yacht series comes equipped with an automatic water system (including 12 volt Marine water pump and 30 gallon polyethylene water tank); univolt electrical system to provide power at all times to all interior lights and fans (in addition to the 110 volt wiring for convenience outlets); 12 volt battery; butane refrigerator; butane water heater; auto-

matic switch-over regulator for the butane tanks; Marine type toilet with spray flushing device to conserve water; and the Airstream sanitar to provide toilet convenience away from a sewer hook-up. Even a sewer hose carrier is included.

The Airstream International Land Yacht series represents, then, the last word in travel luxury. In addition to the basic Land Yacht equipment, it includes: A water purifier; two ceiling fans; two 12 volt outlets for shaver and other appliances; two over-sized butane tanks; a police-type radio antenna; a 12 volt exterior flood light next to the entrance door; a battery condition meter; a battery-operated clock; and such extra luxuries as stainless steel galley sinks; deluxe plumbing hardware; galley hand spray; galley formica splash panel; bedroom wall comfort cover, bedspreads, nylon upholstery; Belgian linen curtains; vinyl floor tile and even deluxe hub caps.

- Patented Air-flow contoured shape
- Exclusive Aero-Stress® all steel undercarriage
- Molded steel bumper, welded to undercarriage
- Exclusive Dura-Torque® rubber torsion bar axles
- Shock Absorbers on all wheels
- 12V Electric brakes on all wheels (can be coordinated with foot brake pedal in car)
- 7:00 x 15 truck-type split rim wheels with nylon tires and tubes (8 ply on all single axles; 6 ply on tandem axles and 19' Globetrotter; 7:50 x 14 4 ply white sidewalls on 17' Bambi II)
- Hand riveted double-shell body of heat treated structural alloy aluminum
- Ribs of stretch-formed structural alloy aluminum
- Contoured aluminum window frames, riveted to body
- Full opening, awning-type windows (jalousie windows used only next to main door on most models)
- Corrosion-proof removable screens in all windows (Slip-in storm windows available for winter travel)
- Insulated combination main and screen door
- Exclusive touch-control fold away steel step, welded to frame
- Anodized aluminum grab handle
- Trunk compartment with lock and insulated door
- Awning rail
- Adjustable, no-draft aluminum roof vents
- Large, adjustable no-draft plastic astrodomes vent
- Seamless, dustproof Styrene wheel housing covers

- All-over (entire body, under floor and over wheel housings) 2¼ inch aircraft type fiberglass insulation
- Plastic grip on jack handle
- Weather-proof exterior 110V outlet
- Single plug car-trailer connector (includes 12V charge line)
- 2" Hitch ball
- Car brake controller
- T.V. lead-in wire in shell
- Univolt service available at all standard roof vents
- Built-in 110V service line (25 feet)
- U.L. Approved electric appliances
- A.S.A. Code-approved wiring system
- Shielded wiring harness for all running, brake and clearance lights
- Interior 110 Volt convenience outlets
- Univolt interior lights (operate on 110V or 12V current)
- 12 volt battery in vented case with automatic circuit breaker
- Automatic circuit breaker on univolt wiring system
- Circuit breaker protection on 110V wiring system
- Water pressure regulator in water inlet line
- 12 Volt Marine water pump (capacity 2½ gallons per minute)
- 30 gallon polyethylene water tank (except in 17' Bambi II in which there is 20 gallon water tank)
- Air vent on water tank
- Water level gauge on water tank
- A.S.A. Code-approved plumbing system
- Swing faucet at galley sinks

- Double galley sinks in all models except 17' Bambi II and 19' Globetrotter
- *Combination sink cover and cutting board
- Exclusive airliner bathroom
- Imported water-saver "telephone" shower with shut-off valve at shower head
- Toilet hand spray flushing device
- Marine type toilet
- Fiberglass septic tank of approximately one week capacity
- Sight glass on septic tank
- Drainage drop-out cover cap
- Drainage drop-out elbow for connecting sewer hose
- Built-in sewer hose carrier
- *Fiberglass bathtub
- Fiberglass lavatory
- Medicine chest
- *Clothes Hamper
- A.S.A. Code-approved butane gas system
- All butane equipment U.L. or A.G.A. approved for use in travel trailers
- Double five gallon butane bottles with rack
- Automatic switch-over bottle regulator (except in 17' Bambi II and 19' Globetrotter with manual regulators)
- Sealed unit, side-vented butane heater (input ratings: 17' Bambi II 7500 B.T.U.; 19' Globetrotter 10,000 B.T.U.; all other models 25,000 B.T.U.)
- In all models except 17' Bambi II and 19' Globetrotter, heater duct to rear with univolt blower and thermostat
- 5.5 cubic foot butane refrigerator (except in 17' Bambi II with 2 cubic foot and 19' Globetrotter with 3.5 cubic foot)

- Four burner butane range (except in 17' Bambi II with three burner butane range)
 - *Butane oven and broiler
 - Range vent hood with univolt exhaust fan
 - Nine gallon butane water heater (except in Bambi II with 7 gallon butane water heater)
 - Genuine hardwood veneer furniture and cabinets
 - Lightweight, warp-free hollow core wardrobe doors
 - Positive travel-locks on drawers and doors
 - Drawers of lightweight molded high-impact styrene
 - Front end roof cabinet
 - Spice Rack
 - Magazine Rack
 - Formica covered drop leaf table (except in 17' Bambi II and 19' Globetrotter with folding table; 22' Safari with pull-out table and 30' Sovereign of the Road with fold-away credenza table)
 - *Foam rubber travel lounge in front, convertible to double bed with four drawers under
 - *6" Foam rubber mattresses with zippered covers
 - All upholstery scotch-guarded to resist soiling
 - All curtains vat dyed, fade resistant and pre-shrunk
 - All curtains lined (except in 17' Bambi II and 19' Globetrotter)
 - Full length mirror
 - Two folding doors (except in 17' Bambi II, 19' Globetrotter and 22' Safari with one folding door)
 - Inlaid linoleum floor
 - *Not available in 17' Bambi II
- All specifications subject to change without notice