

AIRSTREAM FLOOR PLANS

The 1966 Airstream fleet offers you a wider selection than any other travel trailer . . . 13 exciting models, raring and daring to go. One is meant for you!

17 FT. CARAVEL

Hitch Wt. 250 lbs. • Total Wt. 2350 lbs.



20 FT. GLOBE TROTTER TWIN

Hitch Wt. 393 lbs. • Total Wt. 2910 lbs.




20 FT. GLOBE TROTTER DOUBLE

Hitch Wt. 393 lbs. • Total Wt. 2910 lbs.







22 FT. SAFARI TWIN
Hitch Wt. 377 lbs. • Total Wt. 3360 lbs.



22 FT. SAFARI DOUBLE
Hitch Wt. 377 lbs. • Total Wt. 3360 lbs.




24 FT. TRADE WIND TWIN
Hitch Wt. 418 lbs. • Total Wt. 4080 lbs.




24 FT. TRADE WIND DOUBLE
Hitch Wt. 418 lbs. • Total Wt. 4080 lbs.


26 FT. OVERLANDER TWIN
Hitch Wt. 400 lbs. • Total Wt. 4250 lbs.




26 FT. OVERLANDER DOUBLE
Hitch Wt. 400 lbs. • Total Wt. 4250 lbs.




28 FT. AMBASSADOR TWIN
Hitch Wt. 415 lbs. • Total Wt. 4540 lbs.






28 FT. AMBASSADOR DOUBLE
Hitch Wt. 415 lbs. • Total Wt. 4540 lbs.



30 FT. SOVEREIGN TWIN
Hitch Wt. 426 lbs. • Total Wt. 4750 lbs.



30 FT. SOVEREIGN DOUBLE
Hitch Wt. 426 lbs. • Total Wt. 4750 lbs.

STANDARD SPECIFICATIONS

Every Airstream is built to the same rigid construction standards and must satisfy the travel specifications of the world's most adventurous roamers — the Wally Byam caravanners. Chassis, running gear, body design and basic equipment are uniform throughout all Airstreams, regardless of model or series. All Airstreams are completely self-contained...they have the equipment necessary for extended stays away from standard light, water and sewer connections. The difference between the Land Yacht series and the International Land Yacht series is in the degree of self-containment; amount of accessory equipment included and quality of interior furnishings.

The Airstream Land Yacht series comes equipped with an automatic water system (including univolt Marine water pump and 30 gallon polyethylene water tank); univolt electrical system to provide power at all times to all interior lights and fans (in addition to the 110 volt wiring for convenience outlets); 12 volt battery; a battery charger with a protective voltage regulator;

combination electric/gas refrigerator; gas water heater; Marine-type toilet with spray flushing device to conserve water; and the Airstream sanitar to provide toilet convenience away from a sewer hook-up.

The Airstream International Land Yacht series represents, then, the ultimate in travel completeness and luxury. In addition to the basic Land Yacht equipment, it includes: an automatic switch-over regulator for the gas bottles; a water purifier, two univolt ceiling fans; a univolt range exhaust fan; two 12 volt outlets for shaver and other appliances; a univolt exterior flood-light next to the entrance doors; a battery condition meter; a telescoping radio antenna; a large, adjustable no-draft plastic Astrodome vent; a slide-out utility storage bin in 24 foot and larger models; a sink cover and cutting board; a galley hand spray; stainless steel galley sinks; deluxe plumbing hardware; double reflector tail lights; bedroom wall comfort cover; bedspreads; and deluxe hubcaps.

- Patented Air-Flow contoured shape
- Exclusive super Aero-Stress® high-strength steel undercarriage
- Molded steel bumper, welded to undercarriage
- Exclusive Dura-Torque® rubber torsion bar axles
- Shock absorbers on all wheels
- Tandem wheels on 24' Trade Wind; 26' Overlander; 28' Ambassador and 30' Sovereign of the Road
- 12V Electric brakes on all wheels (except on front wheels on tandem axle 24' Trade Wind) — can be coordinated with foot brake pedal in car
- Automatic electric break-away switch
- 7:00 x 15 truck-type extra strength wheels with nylon tubeless tires (8 ply on all single axles; 6 ply on tandem axles); 7:75 x 15 6 ply tubeless tires on 17' Caravel
- Hand riveted double-shell body of heat treated structural alloy aluminum
- Exterior protective plastic coating
- Wear-resistant vinyl surface laminated to metal interior walls in all models
- Ribs of stretch-formed structural alloy aluminum
- Contoured aluminum window frames, riveted to body
- Exclusive, contoured, frameless, awning-type, safety glass windows
- Corrosion-proof removable screens in all windows (slip-in storm windows available for winter travel)
- Insulated, unitized main and screen door
- Exclusive touch-control fold away steel step, welded to frame
- Polished aluminum grab handle
- Trunk compartment with lock and insulated door
- *Awning rail
- Adjustable, no-draft aluminum roof vents
- Seamless, dustproof, high impact Styrene wheel housing covers
- All-over (entire body, under floor and over wheel housings) 2¼ inch aircraft type fiberglass insulation
- Plastic grip on jack handle
- *Weatherproof exterior 110 volt outlet
- Single plug weatherproof car-trailer connector (includes 12 volt charge line)
- 2" Hitch Ball
- Car brake controller
- T.V. Lead-in wire in shell
- Univolt service available at all standard roof vents
- Built-in 110 Volt service line (25 feet)
- A.S.A. and D.O.H. Code-approved wiring system
- Interior 110 Volt convenience outlets
- Univolt interior lights (operate on 110V or 12V current)
- Oversized 90 ampere hour 12 Volt battery in vented case (except on 17' Caravel and 20' Globe Trotter with 72 ampere hour 12 Volt battery)
- *Battery charger with protective voltage regulator
- Automatic circuit breaker on univolt wiring system
- Overload safety fuse cartridges on univolt wiring system
- Circuit breaker on 110V wiring system
- Two bulb, corrosion-proof 180° visibility exterior clearance and running lights
- Water pressure regulator in water inlet line
- Univolt marine water pump (capacity 3 gallons per minute)
- 30 gallon polyethylene water tank
- Water level gauge on water tank
- A.S.A. and D.O.H. Code-approved plumbing system
- Swing faucet at galley sinks (except in 17' Caravel and 20' Globe Trotter)
- Double galley sinks in all models except 17' Caravel and 20' Globe Trotter
- Exclusive airliner bathroom
- Imported water-saver "telephone" shower with shut-off valve
- Toilet hand spray flushing device
- Marine type toilet
- Fiberglass sanitar of approximately one week capacity
- Drainage drop-out cover cap
- Drainage drop-out elbow for connecting sewer hose
- Built-in sewer hose carrier
- Fiberglass bathtub in all models except 17' Caravel and 20' Globe Trotter with Fiberglass "walk-thru" shower
- Fiberglass lavatory
- Medicine chest drawer
- Bathroom utility shelf in all models except 17' Caravel and 20' Globe Trotter
- A.S.A. and D.O.H. Code-approved gas system
- Sealed unit, side-vented gas space heater (input ratings: 17' Caravel, 9600 B.T.U.; 20' Globe Trotter, 15,000 B.T.U.; all other models, 22,500 B.T.U.)
- All gas equipment U.L. or A.G.A. Approved for use in travel trailers
- Double five gallon gas bottles with rack
- Automatic heating thermostat
- Univolt blower and under-the-floor circulating ducts on all models 22' and larger
- 5.5 Cubic foot combination electric/gas refrigerator (except in 17' Caravel with 2 cubic foot gas refrigerator and 20' Globe Trotter with 3.5 cubic foot electric/gas refrigerator)
- Gas range with oven and broiler
- Range vent hood
- Nine gallon gas water heater (except in 17' Caravel and 20' Globe Trotter with 7 gallon gas water heater)
- Genuine hardwood veneer furniture and cabinets (honey-stained ash in Land Yacht series . . . walnut in International series)
- Lightweight, warp-free hollow core wardrobe doors
- Travel-Sure locks on all roof locker doors
- Snap-lock latches on all cabinet doors
- Drawers of lightweight molded high-impact Styrene
- Variable storage for all drawer areas (can be used for drawers, as shelves or as open storage)
- Enclosed towel-drying storage (except in 17' Caravel and 20' Globetrotter)
- Silverware drawer
- *Front end roof cabinet
- Magazine rack (except in 20' Globetrotter twin bed and 22' Safari twin bed models)
- Credenza fold-away table with extension leaf except in 20' Globe Trotter twin and 22' Safari twin with pull-out table)
- *Foam rubber travel lounge in front, convertible to double bed (except in 20' Globe Trotter twin and 22' Safari twin with twin lounge beds in front and 30' Sovereign of the Road with twin convertible sectional sofas in front)
- *6" foam rubber mattresses with Zippered covers
- All upholstery Scotch-guarded to resist soiling
- All curtains vat dyed, fade resistant and pre-shrunk
- *All curtains lined
- Mirror
- Bi-fold hollow core bathroom door (except 17' Caravel and 20' Globe Trotter with folding door)
- Bedroom folding door in 24' models and larger
- Vinyl floor tile

*Not available in 17' Caravel.

All specifications subject to change without notice